

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	((non\$volatile flash eeprom) with (programm\$3 stor\$3)) same (logical near2 boundar\$3)	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:00
L2	75	(logical near2 (boundary boundaries)) with (management control)	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:01
L3	86	(programm\$3 stor\$3) with ((boundary boundaries) near2 logical)	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:08
L4	17205	(programm\$3 stor\$3) with (non\$boundary boundary)	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:10
L5	20	1 and "14"	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:07
L6	10	1 and 4	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:07
L7	576756	flash non\$volatile eeprom nvm	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:08
L8	433	4 same 7	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:08
L9	295	4 with 7	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:08
L10	2673	logical near3 partition	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:08
L11	24	10 with ((boundary boundaries) near2 logical)	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:09

## EAST Search History

L12	37	10 same ((boundary boundaries) near2 logical)	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:09
L13	22	10 with (non\$boundary boundary)	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:55
L14	2	"6763424".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:56
L15	2	"6456528".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:56
L16	2	"6426893".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:56
L17	2	"6567307".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:57
L18	2	"5751634".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:57
L19	2	"20050166087".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:58
L20	2	"5860124".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:58
L21	2	"6895464".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:58
L22	2	"6421279".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:59

## EAST Search History

L23	2	"6871259".pn.	US-PGPUB; USPAT; JPO; DERWENT ; IBM_TDB	OR	OFF	2007/05/14 14:59
-----	---	---------------	---	----	-----	------------------

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

## □ Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((memory &lt;sentence&gt; partition &lt;paragraph&gt; logical &lt;sentence&gt; boundary)&lt;in&gt;me..."

e-mail

Your search matched **0** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

((memory &lt;sentence&gt; partition &lt;paragraph&gt; logical &lt;sentence&gt; boundary)&lt;in&gt;meta

[Search](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding


IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[? Help](#)

<input type="text"/>	in All Fields	
AND <input type="text"/>	in All Fields	
AND <input type="text"/>	in All Fields	

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[? Help](#)

store <or> storing <or> save <or> saving  
<sentence> logical <near/5> boundary <or>  
boundaries

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

**» Publications**☒ Select publications

- ☒ IEEE Periodicals
- ☒ IET Periodicals
- ☒ IEEE Conference
- ☒ IET Conference P
- ☒ IEEE Standards


**» Other Resources (Available)**☒ IEEE Books**» Standard Status**

(Applies to IEEE Standards)

Status **» Select date range**☐ Search latest content u☒ From year  to **» Display Format**☒ Citation ☐ Citatic**» Organize results**Maximum Display  resSort by In [Help](#) [Contact Us](#)

© Copyright 2007

Indexed by





Welcome United States Patent and Trademark Office

☐ Advanced Search[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#) in All Fields   in All Fields   in All Fields  

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

```
flash <or> eeprom <or> non-volatile  
<paragraph> logical <or> virtual  
<sentence> boundary <or> boundaries
```

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

**» Publications**☒ Select publications

- ☒ IEEE Periodicals
- ☒ IET Periodicals
- ☒ IEEE Conference
- ☒ IET Conference P
- ☒ IEEE Standards

**» Other Resources (Available)**☒ IEEE Books**» Standard Status**

(Applies to IEEE Standards)

Status  **» Select date range**☐ Search latest content u☒ From year  to  **» Display Format**☒ Citation ☐ Citatic**» Organize results**Maximum  Display  resSort by  In  [Help](#) [Contact Us](#)

© Copyright 2007

Indexed by  
 Inspec



Welcome United States Patent and Trademark Office

## □ Search Results

## BROWSE

## SEARCH

## IEEE XPLORE GUIDE

Results for "((flash &lt;or&gt; eeprom &lt;or&gt; non-volatile &lt;paragraph&gt; logical &lt;or&gt; virtual &lt;s...")

e-mail

Your search matched 33391 of 1568664 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## » Other Resources

(Available For Purchase)

## Top Book Results

[The Finite Element Method in Electromagnetics](#)by Jin, J.;  
Hardcover, Edition: 2[Mathematical Foundations for Electromagnetic Theory](#)by Dudley, D. G.;  
Hardcover, Edition: 1[Intelligent Image Processing](#)by Mann, S.;  
Hardcover, Edition: 1[Additive Cellular Automata](#)by Chaudhuri, P. P.; Chowdhury, D. R.; Nandi, S.; Chattopadhyay, S.;  
Paperback, Edition: 1[Time-Domain Methods for Microwave Structures](#)by Itoh, T.; Houshmand, B.;  
Hardcover, Edition: 1[View All 24 Result\(s\)](#)

## » Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

## Modify Search

((flash &lt;or&gt; eeprom &lt;or&gt; non-volatile &lt;paragraph&gt; logical &lt;or&gt; virtual &lt;sentence&gt; bq

[Search](#)☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[view selected items](#)[Select All](#) [Deselect All](#)View: [1-25](#) | [26-5](#)

- ☐ 26. **Exact conditions for virtual boundaries in the FDTD-method in studies of waveguide inhomogeneities**  
Perov, A.O.; Sirenko, Yu.K.;  
[Direct and Inverse Problems of Electromagnetic and Acoustic Wave Theory](#), 15-17 Sept. 1997 Page(s):30 - 32  
Digital Object Identifier 10.1109/DIPED.1997.710902  
[AbstractPlus](#) | Full Text: [PDF](#)(164 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 27. **Testing conventional logic and memory clusters using boundary scan de ATE channels**  
Hansen, P.;  
[Test Conference, 1989. Proceedings. 'Meeting the Tests of Time'. International](#), 29-31 Aug. 1989 Page(s):166 - 173  
Digital Object Identifier 10.1109/TEST.1989.82291  
[AbstractPlus](#) | Full Text: [PDF](#)(528 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 28. **Implementing boundary scan test strategies**  
Hansen, P.;  
[AUTOTESTCON '90. IEEE Systems Readiness Technology Conference. 'Adv. Accomplishment', Conference Record](#), 17-21 Sept. 1990 Page(s):325 - 329  
Digital Object Identifier 10.1109/AUTEST.1990.111531  
[AbstractPlus](#) | Full Text: [PDF](#)(340 KB) IEEE CNF  
[Rights and Permissions](#)
- ☐ 29. **Compact modeling and fast simulation of on-chip interconnect lines**  
Ioan, D.; Ciuprina, G.; Radulescu, M.; Seebacher, E.;  
[Magnetics, IEEE Transactions on](#), Volume 42, Issue 4, April 2006 Page(s):547 - 550  
Digital Object Identifier 10.1109/TMAG.2006.871466  
[AbstractPlus](#) | Full Text: [PDF](#)(312 KB) IEEE JNL  
[Rights and Permissions](#)
- ☐ 30. **Advanced Modeling and Simulation for Microelectronic Materials**  
Chun-Li Liu;  
[Junction Technology, 2006. IWJT '06. International Workshop on](#)

Volume 1A, 3-8 July 2005 Page(s):118 - 121 Vol. 1A

[AbstractPlus](#) | Full Text: [PDF\(672 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

38. **3D reconstruction of stereo images for interaction between real and virtual**  
Kim, H.; Seung-jun Yang; Kwanghoon Sohn;  
[Mixed and Augmented Reality, 2003. Proceedings. The Second IEEE and ACM Symposium on](#)  
7-10 Oct. 2003 Page(s):169 - 176  
[AbstractPlus](#) | Full Text: [PDF\(1240 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
39. **Numerical method for eddy-current computation in a nonsimply connected conducting shell**  
Chernkha, H.;  
[Magnetics, IEEE Transactions on](#)  
Volume 36, Issue 6, Nov 2000 Page(s):3920 - 3925  
Digital Object Identifier 10.1109/20.914340  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(200 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
40. **Scalable virtual viewpoint image synthesis for multiple camera environments**  
Cooke, E.; O'Connor, N.;  
[Information Visualisation, 2005. Proceedings. Ninth International Conference on](#)  
6-8 July 2005 Page(s):393 - 397  
Digital Object Identifier 10.1109/IV.2005.112  
[AbstractPlus](#) | Full Text: [PDF\(568 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
41. **Configuration of boundary scan chain for optimal testing of clusters of n scan devices**  
Choi, Y.-H.; Jung, T.;  
[Computer-Aided Design, 1992. ICCAD-92. Digest of Technical Papers., 1992. International Conference on](#)  
8-12 Nov. 1992 Page(s):13 - 16  
Digital Object Identifier 10.1109/ICCAD.1992.279406  
[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
42. **Equivalent network representation of boundary conditions involving geometrical quantities-application to lossy transmission lines with finite metallization**  
Bouzidi, F.; Aubert, H.; Bajon, D.; Baudrand, H.;  
[Microwave Theory and Techniques, IEEE Transactions on](#)  
Volume 45, Issue 6, June 1997 Page(s):869 - 876  
Digital Object Identifier 10.1109/22.588594  
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(348 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
43. **Discovery of information sources across organizational boundaries**  
Paolucci, M.; Liu, X.; Naveen Srinivasan; Sycara, K.; Kogut, P.;  
[Services Computing, 2005 IEEE International Conference on](#)  
Volume 1, 11-15 July 2005 Page(s):95 - 102 vol.1  
Digital Object Identifier 10.1109/SCC.2005.46  
[AbstractPlus](#) | Full Text: [PDF\(416 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
44. **Bound magnetostatic waves controlled by field gradients in YIG single crystal epitaxial films**  
Morgenthaler, F.;

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[? Help](#) in All Fields   in All Fields   in All Fields 

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[? Help](#)

```
flash <or> eeprom <or> non-volatile  
<near/4> logical <or> virtual <near/2>  
boundary <or> boundaries
```

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

**» Publications****Select publications**

- ☒ IEEE Periodicals
- ☒ IET Periodicals
- ☒ IEEE Conference
- ☒ IET Conference P
- ☒ IEEE Standards

**» Other Resources (Available)**

- ☒ IEEE Books

**» Standard Status**

(Applies to IEEE Standards)

Status  **» Select date range**

- ☐ Search latest content u
- ☒ From year    
to

**» Display Format**

- ☒ Citation
- ☐ Citatic

**» Organize results**Maximum  Display  resuSort by  In  [Help](#) [Contact Us](#)

© Copyright 2007

Indexed by



[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[? Help](#) in All Fields   in All Fields   in All Fields  

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[? Help](#) 

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

## » Publications

☒ Select publications

- ☒ IEEE Periodicals
- ☒ IET Periodicals
- ☒ IEEE Conference
- ☒ IET Conference P
- ☒ IEEE Standards

## » Other Resources (Available)

- ☒ IEEE Books

## » Standard Status

(Applies to IEEE Standards)

Status 

## » Select date range

☐ Search latest content u☒ From year  to 

## » Display Format

☒ Citation ☐ Citatic

## » Organize results

Maximum  Display  resSort by  In  [Help](#) [Contact Us](#)

© Copyright 20

Indexed by



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

## □ Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((boundary &lt;sentence&gt; logical &lt;paragraph&gt; non-volatile)&lt;in&gt;metadata)"

☒ e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

## » Search Options

[View Session History](#)[New Search](#)

## Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

## » Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by  
 Inspec®[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -



Welcome United States Patent and Trademark Office

☐ Advanced Search[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	in All Fields	
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="text" value="AND"/>	<input type="text"/>	in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

<input type="text" value="flash &lt;or&gt; eeprom &lt;and&gt; boundary &lt;near/2&gt; logical"/>	
--	--

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

**» Publications**☒ Select publications

- ☒ IEEE Periodicals
- ☒ IET Periodicals
- ☒ IEEE Conference
- ☒ IET Conference P
- ☒ IEEE Standards

**» Other Resources (Available)**

- ☒ IEEE Books

**» Standard Status**

(Applies to IEEE Standards)

Status **» Select date range**

- ☐ Search latest content u
- ☒ From year  to

**» Display Format**

- ☒ Citation
- ☐ Citatic

**» Organize results**

Maximum   
Display  res  
Sort by   
In

[Help](#) [Contact Us](#)

© Copyright 20

Indexed by  
 Inspec

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

☐ Advanced Search[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#) in All Fields   in All Fields   in All Fields 

» Note: If you use all three search boxes, the entries in the first two boxes take precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

**» Publications**☒ Select publications

- ☒ IEEE Periodicals
- ☒ IET Periodicals
- ☒ IEEE Conference
- ☒ IET Conference P
- ☒ IEEE Standards

**» Other Resources (Available)**

- ☒ IEEE Books

**» Standard Status**

(Applies to IEEE Standards)

Status  **» Select date range**

- ☐ Search latest content u
- ☒ From year    
to

**» Display Format**

- ☒ Citation
- ☐ Citatic

**» Organize results**

Maximum    
Display  res  
Sort by   
In

[Help](#) [Contact Us](#)

© Copyright 2007

Indexed by

